

Children's Hospital and Health System

Chorus Community Health Plans

Policy and Procedure

This policy applies to the following entity(s):

- | | |
|--|---|
| <input type="checkbox"/> CHW – Milwaukee | <input type="checkbox"/> CHW - Fox Valley |
| <input type="checkbox"/> CHHS Foundation | <input type="checkbox"/> CHW - Surgicenter |
| <input type="checkbox"/> CHW – Community Services Division | <input checked="" type="checkbox"/> Chorus Community Health Plans |
| <input type="checkbox"/> Children's Medical Group - Primary Care | <input type="checkbox"/> Children's Specialty Group |
| <input type="checkbox"/> Children's Medical Group - Urgent Care | <input type="checkbox"/> CHHS Corporate Departments |

Medical Utilization Management Policy

SUBJECT: KNEE BRACES

INCLUDED PRODUCT(S):

- | | |
|---|---|
| Medicaid | Individual and Family |
| <input checked="" type="checkbox"/> BadgerCare Plus | <input checked="" type="checkbox"/> Commercial |
| <input checked="" type="checkbox"/> Care4Kids Program | <input checked="" type="checkbox"/> Marketplace |

PURPOSE OR DESCRIPTION:

The purpose of this policy is to define criteria for the medically necessary use of knee braces.

POLICY:

Knee braces will be considered medically necessary when the following criteria are present:

1. For knee braces prescribed for osteoarthritis, ALL of the following must be present:
 - a. Knee pain and functional disability
 - b. Radiographic evidence of advanced osteoarthritis, as indicated by **1 or more** of the following:
 - i. Angular deformity
 - ii. Knee joint destruction
 - iii. Severe joint space narrowing
 - c. No bicompartimental arthritic changes in the tibiofemoral joint

Effective: 5/16

Revised: 2/20

Last reviewed: 10/23

Q:\CCHP Leadership\Utilization Management Medical Policies\APPROVED MEDICAL UM POLICIES\Knee Brace Policy Medical UM Policy

Developed by: CCHP Medical Directors

- d. No injury or chronic stretch of medial or lateral collateral ligaments or other structures of knee
2. For postoperative care, a knee brace may be indicated if:
 - a. When prescribed as part of a postoperative rehabilitation plan during the healing phase within three months of surgery, OR
 - b. There is clinical documentation of ongoing instability any time after surgery, as indicated by:
 - i. Symptoms of joint instability, AND
 - ii. Physical findings of joint instability
 3. For knee injuries, a knee brace may be indicated if:
 - a. A physician evaluation shows:
 - i. Documentation of a history consistent with symptoms of instability
 - ii. Documentation of physical exam findings consistent with joint instability

Knee braces will not be considered medical necessary for:

- a. Reduction of pain only
- b. Prevention of further injury, if no current instability exists
- c. Return to participation in sports, if no current instability exists

REFERENCES:

1. American Academy of Orthopaedic Surgeons clinical practice guideline on management of anterior cruciate ligament injuries. 2014 Sep 5. NGC:010527.
2. Bert JM, Bert TM. Nonoperative treatment of unicompartmental arthritis: from bracing to injection. *Clinics in Sports Medicine* 2014;33(1):1-10. DOI: 10.1016/j.csm.2013.08.002.
3. Briem K, Ramsey DK. The role of bracing. *Sports Medicine and Arthroscopy Review* 2013;21(1):11-7. DOI: 10.1097/JSA.0b013e31827562b5.
4. Briggs KK, Matheny LM, Steadman JR. Improvement in quality of life with use of an unloader knee brace in active patients with OA: a prospective cohort study. *Journal of Knee Surgery* 2012;25(5):417-21. DOI: 10.1055/s-0032-1313748.
5. Brouwer RW, van Raaij TM, Verhaar JA, Coene LN, Bierma-Zeinstra SM. Brace treatment for osteoarthritis of the knee: a prospective randomized multi-centre trial. *Osteoarthritis and Cartilage* 2006;14(8):777-83. DOI: 10.1016/j.joca.2006.02.004.
6. Chew KT, Lew HL, Date E, Fredericson M. Current evidence and clinical applications of therapeutic knee braces. *American Journal of Physical Medicine and Rehabilitation* 2007;86(8):678-86. DOI: 10.1097/PHM.0b013e318114e416.
7. Feeley BT, Gallo RA, Sherman S, Williams RJ. Management of osteoarthritis of the knee in the active patient. *Journal of the American Academy of Orthopedic Surgeons* 2010;18(7):406-16.
8. Gross KD. Device use: walking aids, braces, and orthoses for symptomatic knee osteoarthritis. *Clinics in Geriatric Medicine* 2010;26(3):479-502. DOI: 10.1016/j.cger.2010.03.007.
9. Haladik JA, Vasileff WK, Peltz CD, Lock TR, Bey MJ. Bracing improves clinical outcomes, but does not affect the medial knee joint space in osteoarthritic patients during gait. *Knee Surgery, Sports Traumatology, Arthroscopy* 2014;22(11):2715-20. DOI: 10.1007/s00167-013-2596-7.
10. Hinman RS, Crossley KM. Patellofemoral joint osteoarthritis: an important subgroup of knee osteoarthritis. *Rheumatology* 2007;46(7):1057-62. DOI: 10.1093/rheumatology/kem114.
11. Hunter DJ, et al. A randomized trial of patellofemoral bracing for treatment of patellofemoral osteoarthritis. *Osteoarthritis and Cartilage* 2011;19(7):792-800. DOI: 10.1016/j.joca.2010.12.010.

Effective: 5/16

Revised: 2/20

Last reviewed: 10/23

Q: CCHP Leadership\Utilization Management Medical Policies\APPROVED MEDICAL UM POLICIES\Knee Brace Policy Medical UM Policy

Developed by: CCHP Medical Directors

12. Hurley ST, Hatfield Murdock GL, Stanish WD, Hubley-Kozey CL. Is there a dose response for valgus unloader brace usage on knee pain, function, and muscle strength? *Archives of Physical Medicine and Rehabilitation* 2012;93(3):496-502. DOI: 10.1016/j.apmr.2011.09.002.
13. Jacobs BC, Lee JA. Durable medical equipment: types and indications. *Medical Clinics of North America* 2014;98(4):881-93. DOI: 10.1016/j.mcna.2014.03.010.
14. Jevsevar D, Brown GA, Jones DL, Matzkin EG, Manner P, Mooar P. Treatment of osteoarthritis of the knee. Evidence-based guideline 2nd ed [Internet] American Academy of Orthopaedic Surgeons. 2013.
15. Jones RK, et al. A comparison of the biomechanical effects of valgus knee braces and lateral wedged insoles in patients with knee osteoarthritis. *Gait & Posture* 2013;37(3):368-72. DOI: 10.1016/j.gaitpost.2012.08.002.
16. Kutzner I, et al. The effect of valgus braces on medial compartment load of the knee joint - in vivo load measurements in three subjects. *Journal of Biomechanics* 2011;44(7):1354-60. DOI: 10.1016/j.jbiomech.2011.01.014.
17. MCG Guideline A-0332 (AC); MCG Health: Ambulatory Care 23rd Edition. Copyright © 2019 MCG Health, LLC.
18. Nelson AE, Allen KD, Golightly YM, Goode AP, Jordan JM. A systematic review of recommendations and guidelines for the management of osteoarthritis: The Chronic Osteoarthritis Management Initiative of the U.S. Bone and Joint Initiative. *Seminars in Arthritis and Rheumatism* 2014;43(6):701-12. DOI: 10.1016/j.semarthrit.2013.11.012.
19. Page CJ, Hinman RS, Bennell KL. Physiotherapy management of knee osteoarthritis. *International Journal of Rheumatic Diseases* 2011;14(2):145-51. DOI: 10.1111/j.1756-185X.2011.01612.x.
20. Pollo FE, Jackson RW. Knee bracing for unicompartmental osteoarthritis. *Journal of the American Academy of Orthopedic Surgeons* 2006;14(1):5-11.
21. Raja K, Dewan N. Efficacy of knee braces and foot orthoses in conservative management of knee osteoarthritis: a systematic review. *American Journal of Physical Medicine and Rehabilitation* 2011;90(3):247-62. DOI: 10.1097/PHM.0b013e318206386b.
22. Rannou F, Poiradeau S, Beaudreuil J. Role of bracing in the management of knee osteoarthritis. *Current Opinion in Rheumatology* 2010;22(2):218-22. DOI: 10.1097/BOR.0b013e32833619c4.
23. Ringdahl E, Pandit S. Treatment of knee osteoarthritis. *American Family Physician* 2011;83(11):1287-92.
24. Sattari S, Ashraf AR. Comparison the effect of 3 point valgus stress knee support and lateral wedge insoles in medial compartment knee osteoarthritis. *Iranian Red Crescent Medical Journal* 2011;13(9):624-8.
25. Segal NA. Bracing and orthoses: a review of efficacy and mechanical effects for tibiofemoral osteoarthritis. *PM & R: the Journal of Injury, Function, and Rehabilitation* 2012;4(5 Suppl):S89-96. DOI: 10.1016/j.pmrj.2012.01.018.
26. Stemberger R, Kerschan-Schindl K. Osteoarthritis: physical medicine and rehabilitation-nonpharmacological management. *Wiener Medizinische Wochenschrift* 2013;163(9-10):228-35. DOI: 10.1007/s10354-013-0181-9.
27. Waller C, Hayes D, Block JE, London NJ. Unload it: the key to the treatment of knee osteoarthritis. *Knee Surgery, Sports Traumatology, Arthroscopy* 2011;19(11):1823-9. DOI: 10.1007/s00167-011-1403-6.
28. Wilson B, Rankin H, Barnes CL. Long-term results of an unloader brace in patients with unicompartmental knee osteoarthritis. *Orthopedics* 2011;34(8):e334-7. DOI: 10.3928/01477447-20110627-07.

Effective: 5/16

Revised: 2/20

Last reviewed: 10/23

Q: CCHP Leadership\Utilization Management Medical Policies\APPROVED MEDICAL UM POLICIES\Knee Brace Policy Medical UM Policy

Developed by: CCHP Medical Directors